| Trade mark | Vents | | | | | |
|---|----------------|-----|---------|-----|------|-----|
| Model | 100LX3 K | | | | | |
| Specific energy consumption (SEC), kWh/(m².a) | Cold | | Average | | Warm | |
| | -30 | В | -14 | Е | -5 | F |
| Type of ventilation unit | Unidirectional | | | | | |
| Type of drive installed | Multi-speed | | | | | |
| Type of heat recovery system | None | | | | | |
| Thermal efficiency of heat recovery, % | N/A | | | | | |
| Maximum flow rate, m³/h | 88 | | | | | |
| Electric power input, W | 14 | | | | | |
| Sound power level, dB(A) | 53 | | | | | |
| Reference flow rate, m³/s | 0,017 | | | | | |
| Reference pressure difference, Pa | N/A | | | | | |
| Specific power input (SPI), W/(m³/h) | 0,102 | | | | | |
| Control typology | Manual control | | | | | |
| Maximum internal leakage rates, % | N/A | | | | | |
| Maximum external leakage rates, % | 2,7 | | | | | |
| Internet address | | | | | | |
| The annual electricity consumption (AEC), kWh electricity/a | Co | old | Aver | age | Wa | arm |
| | 1 | 1 | 1 | | | 1 |
| The annual heating saved (AHS), kWh primary energy/a | Co | old | Aver | age | Wa | arm |
| | 3 | 4 | 1 | 7 | 3 | 3 |